

Elitech SMG-1H Digital Single Refrigerant Manifold Gauge -14.5~800 PSI



Authorized Distributor

APL ASIA CO., LTD.

11/129-132 Moo.5 Lamlukka Rd.,T.Kookut, A.Lamlukka, Pathumthani 12130 Thailand.

TEL. 0-2995-4461-3, FAX. 0-2995-4464

www.apl-asia.com

EMAIL : sales@apl-asia.com

LINE@ : @APL-ASIA

Digital Single Manifold Gauge SMG-1H are professionally digital gauges used for maintaining, monitoring and evacuating refrigeration systems and charging refrigerants. The gauges can measure system pressure and display various parameters such as the evaporation temperature of the corresponding refrigerant. They have a backlight, auto-off, unit switch, over-range alarm, and other functions.

Key Feature:

- Professional Design: 2-Way Air conditioning diagnostic manifold gauge set for R134A R12 R22 and R410A refrigerants. Designed for AC charging, diagnostic check and recovery work.
- Easy to use: Double pressure test, dual temperature test, digital readout, multi-unit switching, multi-mode function and built-in refrigerant database.
- High Accuracy: High-quality dual-table valve with the imported pressure sensor, excellent workmanship, stable performance, Large screen, display data clearly.
- Long battery life: Powered by 3AAA batteries, up to work for about 6 months.
- Wide Application: The intelligent electronic refrigerant group instrument is an auxiliary instrument for the installation, testing and maintenance of refrigeration equipment such as air conditioners, fridge and cold storage. 24/7 US Technician Support via Email and Phone.
- Service 1-year warranty. 30 days free & easy return



Authorized Distributor
APL ASIA CO., LTD.

11/129-132 Moo.5 Lamlukka Rd., T.Kookut, A.Lamlukka, Pathumthani 12130 Thailand.
TEL. 0-2995-4461-3, FAX. 0-2995-4464

www.apl-asia.com

EMAIL : sales@apl-asia.com

LINE@ : @APL-ASIA

Specifications

- Six units switchable: MPa, kPa, bar, psi, kg/cm², cmHg
- Pressure measuring range: -0.100 ~ 5.515MPa (-14.5-800 psi)
- Resolution: 0.5psi
- Accuracy: +0.5%FS
- Sampling Rate: 1s
- Temperature Unit: °C/°F
- Battery: 3 AAA batteries
- Battery Life: 6 months

LCD Screen& Blue Backlight Display

- The pressure gauge's digital backlight display allows you to readout easily even in the night.
- Partition display for different measurements, direct readings for all measurements.
- Adjustable backlight off time: 3s,4s,5s,10s,15s or always on
- Selectable auto off time: 10min (default), 20min,30min,40min or disable



Authorized Distributor
APL ASIA CO., LTD.

11/129-132 Moo.5 Lamlukka Rd.,T.Kookut, A.Lamlukka, Pathumthani 12130 Thailand.
TEL. 0-2995-4461-3, FAX. 0-2995-4464

www.apl-asia.com

EMAIL : sales@apl-asia.com

LINE@ : @APL-ASIA

Compatible Refrigerants

- R114, R12, R123, R1234yf, R1234ze, R124, R125,
- R13, R134a, R14, R141B, R142B, R143A, R152A,
- R161, 170, R21, R218, R22, R23, R290, R32, R290,
- R32, R401A, R401B, R401C, R402A, R409B, R41,
- R410A, R410B, R412A, R413A, R414A, R414B, R415B,
- R416A, R417A, R419A, R420A, R421A, R421B, R422A,
- R422B, R422C, R422D, R423A, R427A, R437A, R441A,
- R442A, R443A, R444A, R449A, R449B, R450A, R452A,
- R455A, R50, R500, R502, R503, R504, R507, 508A, R508B,
- R509A, R513A, R600, R600a, R601, R601a, R740, R744




Authorized Distributor
APL ASIA CO., LTD.

11/129-132 Moo.5 Lamlukka Rd., T.Kookut, A.Lamlukka, Pathumthani 12130 Thailand.
TEL. 0-2995-4461-3, FAX. 0-2995-4464

www.apl-asia.com

EMAIL : sales@apl-asia.com

LINE@ : @APL-ASIA



Elitech[®]

Innovation Preceding All



Authorized Distributor
APL ASIA CO., LTD.

11/129-132 Moo.5 Lamlukka Rd.,T.Kookut, A.Lamlukka, Pathumthani 12130 Thailand.
TEL. 0-2995-4461-3, FAX. 0-2995-4464

www.apl-asia.com

EMAIL : sales@apl-asia.com

LINE@ : @APL-ASIA