Issue date	: 12/10/2015
------------	--------------

# **1 Identification**

#### · Product identifier

### · Trade name: LeakGuard OneShot

#### · Part number: 480500

· Application of the substance / the mixture air conditioning additive

# · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: UView Ultraviolet Systems, division of, CPS Products Canada Ltd. 1324 Blundell Road Mississauga, ON, L4Y 1M5 Canada Phone: (905) 615-8620 email: customerservice@uview.com

#### · Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

# 2 Hazard(s) identification

Classified according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), OSHA Hazardous Communication Standard (29 CFR 1910.1200) and the Canadian Controlled Products Regulations.

#### · Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

- · Hazard statements
- Contains gas under pressure; may explode if heated.
- Precautionary statements
- Do not get in eyes, on skin, or on clothing.
- Do not handle until all safety precautions have been read and understood.
- Protect from sunlight.
- Do not expose to temperatures exceeding 50°C/122°F.
- Store in a well-ventilated place.

#### · Other hazards

### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **3 Composition/information on ingredients**

### · Chemical characterization: Mixtures

• Description: Mixture: consisting of the following hazardous components.

· Chemical components: Not Applicable

(Contd. on page 2)

NA

# Trade name: LeakGuard OneShot

(Contd. of page 1) • Additional information: For the wording of the listed hazard phrases refer to section 16.

# **4 First-aid measures**

• Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In cases of frost bites, rinse with plenty of water. Do not remove clothing.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

• After swallowing: Do not induce vomiting; immediately call for medical help.

· Information for doctor: Treat Symptomatically

• Most important symptoms and effects, both acute and delayed See section 11.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
  - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

 $\cdot$  Special hazards arising from the substance or mixture

See section 10 for additional information.

- Advice for firefighters
  - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

### 6 Accidental release measures

#### · Personal precautions, protective equipment and emergency procedures

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing. Ventilate area if spilled in a confined space or other poorly ventilated area. Keep people at a distance and stay upwind.

Particular danger of slipping on leaked/spilled product.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Absorb liquid components with liquid-binding material.
- Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

Precautions for safe handling

Store in cool, dry place in tightly closed receptacles. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

(Contd. on page 3)

NA

Last Revision Date: 12/10/2015

# Trade name: LeakGuard OneShot

(Contd. of page 2)

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

# · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles:
- See section 10 for incompatible materials.
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

### 811-97-2 1,1,1,2-Tetrafluorethan (50-100%)

WEEL (USA) TWA: 1000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Other Exposure Limits

Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.

### · Exposure controls

# · Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Clean skin thoroughly immediately after handling the product.
- Do not store food in the working area.
- Do not inhale dust / smoke / mist.
- · Breathing equipment:
- Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Chemical resistant protective gloves

### · Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

# 9 Physical and chemical properties

Information on basic physical and chemical properties

**General Information** 

- Appearance: • Form:
  - · Color:

· Odor:

Aerosol Brown Petrol-like

(Contd. on page 4)

Last Revision Date: 12/10/2015

# Trade name: LeakGuard OneShot

	(Contd. c	of page
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. -26 °C	
· Flash point:	Not applicable, as aerosol.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C:	5716 hPa	
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not determined. Not applicable.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
<ul> <li>Partition coefficient (n-octanol/wa</li> </ul>	ter): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.	
Solvent content: Organic solvents: Other information	0.0 % No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
  - Thermal decomposition / conditions to be avoided:
- Can decompose slowly with localized heating above 67 °C.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:
- Smoke, carbon monoxide, carbon dioxide and other products of incomplete combustion.

(Contd. on page 5)

NΑ

# Trade name: LeakGuard OneShot

(Contd. of page 4)

	nformation on toxicological effects · Acute toxicity:
	· Primary irritant effect:
	on the skin:
	May cause mild skin irritation. Prolonged or repeated skin contact as from clothing we with material may cause dermatitis. Symptoms may include redness, edema, drying, an cracking of the skin.
	• on the eye:
	May cause eye irritation. Symptons may include discomfort or pain, excessive blinkin and tear production, with possible redness and swelling.
	May cause respiratory tract irritation.
	with oil mist formation
	· Ingestion:
	May be harmful if swallowed. May cause stomach distress, nausea or vomiting. • Sensitization: No sensitizing effects known. • Additional toxicological information:
	· Carcinogenic categories
	· IARC (International Agency for Research on Cancer)
N	one of the ingredients is listed.
	· NTP (National Toxicology Program)
N	one of the ingredients is listed.
	· OSHA-Ca (Occupational Safety & Health Administration)
	one of the ingredients is listed.

- · Toxicity
  - · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.
- · Additional ecological information:
  - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

# · Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

NA

# Safety Data Sheet

Issue date: 12/10/2015

v 1

Last Revision Date: 12/10/2015

Trade name: LeakGuard OneShot

(Contd. of page 5)

• Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA · TDG	UN1950 UN1950
<ul> <li>UN proper shipping name</li> <li>DOT, IATA</li> <li>TDG</li> <li>IMDG</li> </ul>	Aerosols, non-flammable Aerosols, non-flammable AEROSOLS
-	AEROSOLS
· Transport hazard class(es)	
· DOT	
KONFLIMANTLE GAS	
2	
· Class	2.2
Label	2.2
TDG Class	2.2
	2.2
	·····
· Class · Label	2.2 2.2
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> <li>TDG</li> </ul>	Not Regulated Not Regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Gases
<ul> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Stowage Code</li> </ul>	- F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximu capacity of 1 litre: Category A. F AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOL Category C, Clear of living quarters.
<ul> <li>Segregation Code</li> </ul>	SG69 For AEROSOLS with a maximu capacity of 1 litre: Segregation as for class Stow "separated from" class 1 except division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for t appropriate subdivision of class 2. For WAS AEROSOLS: Segregation as for the

Last Revision Date: 12/10/2015

# Trade name: LeakGuard OneShot

	(Contd. of page 6)
	appropriate subdivision of class 2.
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	<b>k II of</b> Not applicable.
· Transport/Additional information:	
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E0 Not permitted as Excepted Quantity
· DOT (Size/package type):	Limited Quantity (91g/can)
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.2

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

<ul> <li>Section 355 (extremely hazardous substances):</li> </ul>	
None of the ingredients is listed.	
<ul> <li>Section 313 (Specific toxic chemical listings):</li> </ul>	
None of the ingredients is listed.	-
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
<ul> <li>Chemicals known to cause reproductive toxicity for females:</li> </ul>	
None of the ingredients is listed.	
<ul> <li>Chemicals known to cause reproductive toxicity for males:</li> </ul>	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
<ul> <li>TLV (Threshold Limit Value established by ACGIH)</li> </ul>	
None of the ingredients is listed.	
<ul> <li>NIOSH-Ca (National Institute for Occupational Safety and Health)</li> </ul>	
None of the ingredients is listed.	
· Canadian substance listings:	
<ul> <li>Canadian Domestic Substances List (DSL)</li> </ul>	

All ingredients are listed.

(Contd. on page 8)

NA

Trade name: LeakGuard OneShot

(Contd. of page 7)

#### · Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

### · Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Engineering Department

- · Issue Date December 10, 2015
- **Revision Changes:** v 1.0 original SDS release (December 10, 2015)

### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Press. Gas: Gases under pressure: Compressed gas